


## Blister machine B 200 + Cartoner C 130


### Compact and reliable packaging line for solid dose products



#### Economical and flexible line for professional pharmaceutical packaging.

The combination of Blister machine B 200 and the Cartoner C 130 offers an economical and flexible solution for efficient solid packaging into the direct link-up premium segment. These machines are highly adaptable and can be configured to meet a variety of packaging requirements, making them perfect for any space. The line of solids in blisters and cartons stands out for its exceptional blister quality, competitive price, and remarkable flexibility. It is particularly well-suited for small batches due to its quick and easy format changeovers. Additionally, this line can be customized to meet even the most challenging packaging requirements.

- **Economical:** Short cleaning and changeover times
- **Reliable:** Constant forming and sealing time for highest process reliability and OEE, independent of the number of cycles
- Perfect blister quality: Even with demanding materials such as aluminum or paper-laminated cover film
- **Easily accessible:** Forming film roll receptacle for ergonomic working in the smallest possible space
- **Optimal performance:** Upgrade max. 300 blisters per minute





Being economical and flexible, the combination of Blister machine B 200 and the Cartoner C 130 makes the ideal entry model into the direct link-up premium segment of economical solid packaging. Due to their excellent flexibility, the machines can be configured to meet diverse packaging requirements.

## The Blister machine B 200 and Cartoner C 130 at a glance

Blister machine B 200	
Output	up to 300 blisters/min.
Sealing principle	platen sealing
Format area [index x width]	max. 200 x 145 mm
Forming depth	max. 12 mm
Reel diameter	forming material max. 600 mm lid material max. 300 mm
Processable forming materials	thermoplastics, PVC, PVC/PVDC, PVC/Aclar laminates, Al laminates, PET
Processable lid materials	hot sealable Al foils, paper, PVC, or similar

Cartoner C 130	
Output	max. 150 cartons/min.
Operating mode	intermittent motion
Carton size [A x B x H]	max. 100 mm x 85 mm x 150 mm (100 mm x 95 mm x 150 mm)*
Pitch	5"
No. of blisters	max. 10
Blister stack height	max. 80 mm (90 mm)*
Types of closure	tuck-in and hot-melt

<sup>\*</sup> Additional modification



# The whole world of pharmaceutical packaging ...

... and our worldwide locations can be found under www.uhlmann.de